


EasyDNNnews 5.0



[User's guide]

www.EasyDNNsolutions.com

May, 2013.

EasyDNNnews is a very powerful DotNetNuke module that enables non-technical users to publish and manage articles, news, press releases, stories and editorials. In addition to publishing text content, adding pictures to articles is easier than ever.

In combination with the EasyDNNgallery and EasyDNNrotator modules, the EasyDNNnews becomes the ultimate publishing platform that easily manages your articles, images, video and audio content.

EasyDNNnews can be used for blogs, news websites, product catalogs, or you can run a complex newspaper website.

Table of Contents

1. INTRODUCTION	3
1.1. About EasyDNNnews module	3
1.2. Related products.....	3
1.3. Licenses.....	4
1.4. Customer Support.....	4
2. MODULE INSTALLATION.....	5
2.1. Minimum Technical Requirements.....	5
2.2. From the trial version to the production version	5
2.3. Installing EasyDNNnews module in DotNetNuke 6.x and 7.x	5
2.4. Module Activation	9
4. GETTING STARTED.....	10
4.1. How to add a Module to a Page	10
4.2 Adding Articles.....	11
5. MODULE USE AND SETTINGS ADJUSTMENTS	22
5.1. Dashboard.....	22
5.2 Add article.....	24
5.3. Article manager	24
5.4. Approve articles.....	26
5.5. Comments.....	27
5.6. Category manager	28
5.7. Tags.....	28
5.8. Tokens.....	29
5.9. Gallery management	30
5.10. Module settings	31
5.11. Default module settings.....	32
5.11.1 Permissions	33
5.11.2. Main display	34

5.11.3. Multi module article display.....	34
5.11.4. Category selection and article display.....	35
5.11.5. Template and theme selection.....	35
5.11.6. Article Image	36
5.11.7. Article gallery image upload.....	37
5.11.8. EasyDNNgallery integration	38
5.11.9. Article images tokens default preset.....	39
5.11.10. Comments	40
5.11.11. Paid content	40
5.11.12. Related articles and RSS	41
5.11.13. Limited content formatting	41
5.11.14. SEO URL settings.....	42
6. ADDITIONAL MODULES.....	43
6.1. EasyDNNnews Calendar module	43
6.2. EasyDNNnews Category menu module	44
6.3. EasyDNNnews TagCloud module.....	44
6.4. EasyDNNnews Search module.....	45
7. LOCALIZATION.....	46
7.1. Content localization	46
8. INSTRUCTIONS FOR ADVANCED USERS	49
8.1. List of tokens.....	49
8.2. Templates and themes	59
8.3. Structure of Templates folder.....	59
8.4. Structure of HTML templates	60
8.4.1. List and Details HTML templates.....	60
8.5. CSS themes	61
8.6. Multi-article template feature.....	64
8.7. Multi instance module feature	67

1. INTRODUCTION

1.1. About EasyDNNnews module

EasyDNNnews is a very powerful DotNetNuke module that enables non-technical users to publish and manage articles, news, press releases, stories and editorials. In addition to publishing text content, adding pictures to articles is easier than ever. In combination with the EasyDNNgallery and EasyDNNrotator modules, the EasyDNNnews becomes the ultimate publishing platform that easily manages your articles, images, video and audio content.

EasyDNNnews can be used for blogs, news websites, product catalogs, or you can run a complex newspaper website.

1.2. Related products

[EasyDNNrotator](#)

EasyDNNrotator is a new DotNetNuke module that rotates content such as images, video and HTML. Besides easy content management and attractive themes, it provides great options to customize **your slider to match your website's design. This module can display articles from the EasyDNNnews module.**

We especially emphasize Chameleon slider, very flexible and unique jQuery slider that we have developed specifically for this module. By setting and studying its options, you can create unique layouts that will perfectly fit your websites and attract the attention of your visitors. With no programming skills required, adjusting the slider has never been easier as now with the EasyDNNrotator module.

[EasyDNNgallery](#)

Our well-accepted EasyDNNgallery module has reached its 5.0 edition. Through several versions that preceded this version, we have enabled sharing images through social networks for some layouts, and the most important novelty is the possibility of advanced integration with our newly introduced EasyDNNnews module.

1.3. Licenses

Standard version

Includes the license to use the module on a single domain and all sub-domains. It is allowed to activate the module on the development and production portals.

Professional version

Includes the license to use the module on multiple portals within one DNN installation.

Enterprise version

Includes license to use the module on any number of DNN installations and portals. The right to free upgrades within 1 year from the date of purchase. Enterprise version is especially suited for web design companies because the module can be used for all projects you are working on.

1.4. Customer Support

All questions related to the module usage, error reports and help requests can be send to us via:

- 1) e-mail address support@easyDNNsolutions.com
- 2) via web form on our web page www.easyDNNsolutions.com
- 3) or via support ticket created at Snowcovered.com

We prefer 1 and 2.

In order for us to give you the best possible assistance in the shortest period of time, we recommend you to provide us with detailed information. Please refer to the following recommendations for the information that you can send to us:

- *describe the problem that you are encountering*
- *state the version of our module that you are using*
- *let us know the version of the module that you are using; trial version or production version*
- *let us know which version of DotNetNuke you are using*
- *send us the link of the website on which you are encountering the problem*

All of the above recommended information is not mandatory. Please send us the information that you can provide to us. We will be glad to assist you with any question that you may have and help you with the module use.

2. MODULE INSTALLATION

2.1. Minimum Technical Requirements

In order to install the module, your DotNetNuke portal must meet the following requirements:

The DotNetNuke portal must be version 04.06.02 or higher.

The DotNetNuke portal must be using Microsoft SQL 2005 or higher.


In case you want to integrate EasyDNNgallery with EasyDNNnews module, EasyDNNgallery should be version 4 or above.

2.2. From the trial version to the production version

The trial version of the module cannot be activated. If you have installed the trial version of the module, it is possible to install the production version of the module over the trial version from the menu Host> Extensions. All data and settings will be preserved.

2.3. Installing EasyDNNnews module in DotNetNuke 6.x and 7.x

To install the module, login to DotNetNuke as a host. From the Host menu select Extensions button.



Click on the Manage button and choose the Install Extension Wizard button.

The screenshot shows the DotNetNuke Admin interface. The top navigation bar includes links for LOGOUT, SUPERUSER ACCOUNT, and language selection (US and DE). Below the navigation is a breadcrumb trail: YOU ARE HERE > Admin > Extensions. A modal window titled 'Manage' is open, with the 'Edit' tab selected. Inside the modal, there is a section for 'Install Extension Wizard' and a 'Move' section containing options like 'To SocialMediaPane', 'To LeftPane', etc. To the right of the modal, a table lists extensions. The first extension is 'authentication settings' (version 1.0.0, In Use: No, Upgrade?: No). The second extension is 'managed through the Admin tab' (version 1.0.0, In Use: No, Upgrade?: No). There is also a note about security vulnerabilities and a link to 'View Source'.

In the next window click the Browse button, locate the installation file on your computer hard disk drive and then click the Next button.

The screenshot shows the 'Upload New Extension Package' wizard. The title bar says 'ns-v4 > Extensions'. The main area has a heading 'Upload New Extension Package' and a note: 'DotNetNuke can be extended in many ways. This wizard helps you upload and install DotNetNuke extension packages.' Below this is a 'Browse' button and a note: 'Use the Browse button to browse your local file system to find the extension package you wish to install, then click Next to continue.' At the bottom are 'Next' and 'Cancel' buttons.

In the next window, click the Next button.

The screenshot shows a software interface titled "ns-v4 > Extensions". Below it, a section titled "Package Information" displays the following details:

- Name: EasyDNNnews
- Type: Module
- Friendly Name: EasyDNNnews
- Icon File:
- Description: EasyDNNnews module Web: <http://www.easydnnnsolutions.com> info: support@easydnnnsolutions.com
- Version: 4.0.0
- Owner:
- Organization:
- Url:
- Email Address:

At the bottom left are "Next" and "Cancel" buttons.

In the next window, click the Next button.


The screenshot shows a software interface titled "ns-v4 > Extensions". Below it, a section titled "Release Notes" displays the following message:

You can review the Release Notes for this package.


Release Notes: This package has no Release Notes

At the bottom left are "Next" and "Cancel" buttons.

Confirm that you accept the license and click the Next button.



After successful installation of the module, click the Return button.



2.4. Module Activation

Admin Host Modules Pages Tools Mode Edit

Home News News2 Rotator Slider2

Logout | SUPERUSER ACCOUNT  

 DotNetNuke

YOU ARE HERE: News

EASYDNNNEWS

EasyDNNnews Activation


Please enter invoice id:

To activate gallery add a new instance of the module to a page and enter the Invoice ID that you received when you purchased EasyDNNgallery at store.dotnetnuke.com.

4. GETTING STARTED

4.1. How to add a Module to a Page

Like all other modules, this module is added to a page from the Modules menu. It is necessary to check the option Add New Module, choose EasyDNNnews from the list of installed modules, and, if necessary, set other options and click the Add module button.




Then click the Start adding article to setup the module for use.



4.2 Adding Articles

After you have added the module on the page, it is possible to click on the Add Article, Dashboard or Settings buttons.



The screenshot shows the DotNetNuke dashboard. At the top, there's a navigation bar with links for Admin, Host, Modules, Pages, Tools, Mode (set to Edit), Home, News, News2, Rotator, Slider2, Logout (SUPERUSER ACCOUNT), and language selection (USA, Germany). Below the navigation is the DotNetNuke logo. A breadcrumb trail shows 'YOU ARE HERE: News'. The main content area has a red header bar with the text 'EASYDNNNEWS'. Below it, there are three buttons: 'Add article' (green), 'Dashboard' (blue), and 'Settings' (grey).

If you click on the link Add Article you will be lead to the form used for adding and editing of the articles.



The screenshot shows the 'Edit Article' form. The title field contains 'The United States of America is a federal constitutional republic comprising fifty states and'. The subtitle field contains 'The country is situated mostly in central North America, where its forty-eight contiguous states and Wa'. Below these fields is a 'SEO settings' section. The 'Categories' section is expanded, showing a tree structure of categories: Food (Fast food: Pizzas, Hot Dogs; Slow food), Tourism (North America: United States, Canada). There are several icons at the top right of the form, including a magnifying glass, a file icon, a folder icon, a gear icon, a monitor icon, and a power icon.

Due to its length this form is shown on the following two pages.

Summary:

Editor:

Basic Text Box Rich Text Editor

Custom Links

Font Name Size

Paragraph Style Apply CSS Cl...

Integer lacinia sollicitudin massa. Cras metus. Sed aliquet risus a tortor. Integer id quam. Morbi mi. Quisque nisi felis, venenatis tristique, dignissim in, ultrices sit amet, augue. Proin sodales libero eget ante. Nulla quam. Aenean laoreet. Vestibulum nisi lectus, commodo ac, facilisis ac, ultricies eu, pede. Ut orci risus, accumsan porttitor, cursus quis, aliquet eget, justo. Sed pretium blandit orci. Ut eu diam at pede suscipit sodales. Aenean lectus elit, fermentum non, convallis id, sagittis at, neque. Nullam mauris orci, aliquet et, iaculis et, viverra vitae, ligula. Nulla ut felis in purus aliquam imperdiet. Maecenas aliquet mollis lectus. Vivamus consectetuer risus et tortor. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer nec odio. Praesent libero. Sed cursus ante dapibus diam. Sed nisi. Nulla quis sem at nibh elementum imperdiet. Duis sagittis ipsum. Praesent mauris.

Design HTML Preview

Words: 135 Characters: 861

Article detail type

Content:

Editor:

Basic Text Box Rich Text Editor

Custom Links

Font Name Size

Paragraph Style Apply CSS Cl...

Integer lacinia sollicitudin massa. Cras metus. Sed aliquet risus a tortor. Integer id quam. Morbi mi. Quisque nisi felis, venenatis tristique, dignissim in, ultrices sit amet, augue. Proin sodales libero eget ante. Nulla quam. Aenean laoreet. Vestibulum nisi lectus, commodo ac, facilisis ac, ultricies eu, pede. Ut orci risus, accumsan porttitor, cursus quis, aliquet eget, justo. Sed pretium blandit orci. Ut eu diam at pede suscipit sodales. Aenean lectus elit, fermentum non, convallis id, sagittis at, neque.

Nullam mauris orci, aliquet et, iaculis et, viverra vitae, ligula. Nulla ut felis in purus aliquam imperdiet. Maecenas aliquet mollis lectus. Vivamus consectetuer risus et tortor. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer nec odio. Praesent libero. Sed cursus ante dapibus diam. Sed nisi. Nulla quis sem at nibh elementum imperdiet. Duis sagittis ipsum. Praesent mauris.

Fusce nec tellus sed augue semper porta. Mauris massa. Vestibulum lacinia arcu eget nulla. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Curabitur sodales ligula in libero. Sed dignissim lacinia nunc. Curabitur tortor. Pellentesque nibh. Aenean quam. In scelerisque sem at dolor. Maecenas mattis.

Sed convallis tristique sem. Proin ut ligula vel nunc egestas porttitor. Morbi lectus risus, iaculis vel, suscipit quis, luctus non, massa. Fusce ac turpis quis ligula lacinia aliquet. Mauris ipsum. Nulla metus metus, ullamcorper vel, tincidunt sed, euismod in, nibh. Quisque volutpat condimentum velit. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Nam nec ante. Sed lacinia, urna non tincidunt mattis, tortor neque adipiscing diam, a cursus ipsum ante quis turpis. Nulla facilisi.

Ut fringilla. Suspendisse potenti. Nunc feugiat mi a tellus consequat imperdiet. Vestibulum sapien. Proin quam. Etiam ultrices. Suspendisse in justo eu magna luctus suscipit. Sed lectus. Integer euismod lacus luctus magna. Quisque cursus, metus vitae pharetra auctor, sem massa mattis sem, at interdum magna augue eget diam. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Morbi lacinia molestie dul. Praesent blandit dolor. Sed non quam. In vel mi sit amet augue congue elementum.

Design HTML Preview

Words: 340 Characters: 2202

Tags:

usa, tourism, travel,

[ADD EXISTING TAGS](#)

Gallery Panel **ARTICLE**

THIS GALLERY ISN'T DISPLAYED WITH THE ARTICLE [DISPLAY THIS GALLERY](#)

[SELECT IMAGES FOR UPLOAD](#) [START UPLOAD](#)

Set the number of items per page:

DOCUMENTS included

Document title: Document description: Select a document: [Browse...](#) [UPLOAD](#)

[ADVANCED SETTINGS](#)

Featured article:

Publish date:

Expire date:

Draft Article Publish Article

[Update article](#) [Update & Close](#) [Update & View](#) [Cancel](#)

[Delete article](#)

Title

The title field is used for entering the name of the article.

Subtitle

The subtitle field is used for entering the subtitle of the article. This field is optional.

Seo settings

By clicking on the arrow the panel with SEO article settings will be shown. Three additional setting fields will be shown:

Article url – here it is possible to change the outlook of the human friendly link (optional)

Meta description – enter the meta description here (optional)

Meta keywords – enter the meta keywords here (optional)

Meta description and meta keywords are optional fields.

Categories

Here you can choose the category to which a certain article belongs to. It is necessary to choose at least one category. Articles can be saved in unlimited number of categories and subcategories.

Summary

The Summary field is used for entering a brief summary or description of the article that is going to be shown on the article listing layout. General practice is to use several sentences from the beginning of the article.

Article detail type

Use this option if the article has main content. Article content is edited using the built in HTML editor in DotNetNuke. This option is a default setting.

Page

By clicking Read more or Details in the article list, the user is automatically sent on one of the pages within the website (DNN Portal).

File

By clicking Read more or Details in the article list, the user opens a file within the website (DNN portal).

Link

By clicking Read more or Details in the article list, a given link is opened to the user.

None

Use this option if the main content of the article does not exist.

Main Content

In this field by using the default DNN HTML editor you can edit the main content of the article. HTML editor can be used for text editing, pictures adding, table editing...

Tags

This field is used for the tag entry. (This field is used for entering tags) Tags are separated by using comma. It is as possible to choose from previously added tags.

Gallery Panel

Gallery Panel is used for managing pictures, video and audio files. EasyDNNnews module offers basic possibilities for picture management. If the EasyDNNgallery module is installed on the DNN portal the possibilities are expanded by additional options.

Gallery Panel (without EasyDNNgallery module installed)

Click the Select images button for upload in order to choose one or more pictures from your disc. Afterwards click the Start upload button.




Once the pictures are uploaded, the picture list will be displayed in the Gallery panel.

Action	Title	Description
 Set as article image		<input checked="" type="checkbox"/> Position  <input checked="" type="checkbox"/> Show  <input checked="" type="checkbox"/> Media 
[EasyDNNGallery 10 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]		
 Set as article image		<input checked="" type="checkbox"/> Position  <input checked="" type="checkbox"/> Show  <input checked="" type="checkbox"/> Media 
[EasyDNNGallery 11 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]		
 Set as article image		<input checked="" type="checkbox"/> Position  <input checked="" type="checkbox"/> Show  <input checked="" type="checkbox"/> Media 
[EasyDNNGallery 12 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]		
 Set as article image		<input checked="" type="checkbox"/> Position  <input checked="" type="checkbox"/> Show  <input checked="" type="checkbox"/> Media 
[EasyDNNGallery 13 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]		
 Set as article image		<input checked="" type="checkbox"/> Position  <input checked="" type="checkbox"/> Show  <input checked="" type="checkbox"/> Media 
[EasyDNNGallery 14 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]		
 Set as article image		<input checked="" type="checkbox"/> Position  <input checked="" type="checkbox"/> Show  <input checked="" type="checkbox"/> Media 
[EasyDNNGallery 15 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]		
 Set as article image		<input checked="" type="checkbox"/> Position  <input checked="" type="checkbox"/> Show  <input checked="" type="checkbox"/> Media 
[EasyDNNGallery 16 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]		
 Set as article image		<input checked="" type="checkbox"/> Position  <input checked="" type="checkbox"/> Show  <input checked="" type="checkbox"/> Media 
[EasyDNNGallery 17 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]		
 Set as article image		<input checked="" type="checkbox"/> Position  <input checked="" type="checkbox"/> Show  <input checked="" type="checkbox"/> Media 
[EasyDNNGallery 18 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]		
Set the number of items per page: <input type="text" value="10"/> <input type="button" value="▼"/>		

By clicking on the button Set as main article image placed next to a picture, that picture becomes the main picture of the article. To each picture it is possible to add title and description, it is possible to erase the picture, and change the position in the gallery. It is also possible to determine will the picture be shown in the gallery.

Each picture has its token. It is possible to copy the token in the main content or summary, according to which the picture will be shown instead of the token that was placed somewhere in the text.



Token Example

[EasyDNNGallery|43|Width|200|Height|200|class| |inline| |resizecrop|False|lightbox|False|title|False|description|False|redirection|False|LinkText| |]

Width – width of the pictures in pixels.

Height - height of the picture in pixels

Class - CSS class that will be applied on the picture

Inline - inline CSS style that will be applied on the picture

Resizecrop – possible values are true and false. This option makes it possible to crop the picture according to the given width and height. If the option is false the picture is being resized proportionally.

Lightbox - possible values are true or false. This option is used for opening the picture in the Lightbox.

Title - possible values are true or false. This option displays the picture title (if the title is available)

Description - possible values are true or false. This option displays the picture description if description exists.

Redirection - possible values are true or false. By clicking on the picture the entered URL for the picture is opened. It is only possible to use this option (true) if the EasyDNNgallery module is installed. It is only possible to set the link for the redirection in the EasyDNNgallery module.

LinkText – text that replaces thumbnail and opens the picture in the lightbox. It is necessary to set lightbox = true.

Default values of tokens can be adjusted in module settings.

Gallery Panel (if the EasyDNNgallery module is installed)

As we have mentioned before, if the EasyDNNgallery is installed on the portal the possibilities for multimedia management expands. In this case, next to the tab Article two additional tabs become visible: Shared and Custom.

Tab Shared is used for storing common images that are commonly used in different articles. It is possible to set images as the Main article image, or with the help of the token they can be added to the main content.

The screenshot shows the 'Gallery Panel' interface. At the top, there's a 'Galleries included' section with two items: 'Pizza - History & Legends of Pizza' and 'The History of Ice Cream'. Below this is a 'View settings' button. The main area has tabs: 'Gallery Panel' (selected), 'ARTICLE' (with a blue dot), 'SHARED', and 'CUSTOM' (with a yellow dot). Under 'ARTICLE', there are 'SELECT IMAGES FOR UPLOAD' and 'START UPLOAD' buttons. The 'CUSTOM' tab displays a table with four rows of gallery items:

Action	Title	Description
Set as article image		Position Show Media [EasyDNNGallery 48 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]
Set as article image		Position Show Media [EasyDNNGallery 49 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]
Set as article image		Position Show Media [EasyDNNGallery 50 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]
Set as article image		Position Show Media [EasyDNNGallery 51 Width 200 Height 200 class inline resizecrop False lightbox False title False description False redirection False LinkText]

Tab Custom enables the usage of EasyDNNgallery module. It is possible to choose for display gallery which is already in EasyDNNgallery module.

The number of galleries that can be added is not limited. Galleries included in the article are shown in the Galleries included panel. Order of galleries can be adjusted by using drag and drop.

If we click on View settings the panel with additional settings will be displayed.

The image shows two screenshots of the 'Galleries included' settings panel. The top screenshot shows a list of two galleries: 'Pizza - History & Legends of Pizza' and 'The History of Ice Cream'. Each gallery has edit, move, and delete icons. The bottom screenshot shows the detailed settings for these galleries. It includes fields for 'Thumbnail width' (set to 100), 'Thumbnail height' (set to 100), 'Items per page' (set to 5), 'Number of columns' (set to 5), and checkboxes for 'Display item title', 'Display item description', 'Display item title in Lightbox', and 'Display item description in Lightbox'. It also includes dropdowns for 'Gallery display type' (set to 'Lightbox gallery'), 'Gallery position' (set to 'Below article'), and 'Gallery theme' (set to 'EDG_0_Shadow.css'). A 'Close settings' button is visible in the top right corner of the bottom panel.

In the additional settings it is possible to adjust the following:

Thumbnail width – sets the thumbnail width

Thumbnail height – sets the thumbnail height

Items per page – sets the number of images per page

Number of columns –sets the number of columns per page.

Display item title – turns on title display under the thumbnail image.

Display item title in Lightbox – turns on title display in Lightbox

Display item description in Lightbox – turns on display in Lightbox.

Gallery display type - selection of the view type (Lightbox gallery, Video gallery, and Audio gallery)

Gallery position – sets the gallery position in relations to the main content. Possible options are Below article and Above article.

Gallery theme - it is possible to choose between different CSS themes from the EasyDNNgallery module.

Available view types from EasyDNNgallery are Lightbox, Video gallery and Audio gallery.

Integration with EasyDNNgallery module enables us to use video and audio files which are already added in EasyDNNgallery module.

Click on the Open Media Manager link will display content management of the EasyDNNgallery module.

By using the token any picture, video, or audio file located in any EasyDNNgallery module gallery can be inserted into the main content.

Documents included

It is possible to publish one or more documents with the article. Document publishing is optional. In order to add documents click the Browse button, choose the file on your disc and click the Upload button.

The screenshot shows a user interface for managing documents. At the top, a blue header bar says "DOCUMENTS included". Below it, a message says "Document uploaded." with fields for "Document title" (containing "Things To Do In Us"), "Document description" (empty), and "Select a document" (with a "Browse..." button). A large blue "UPLOAD" button is next to it. Below this is a table with columns: Actions, Title, Description, Filename, Date, and Author. It lists one document: "Things To Do In Us" (Description), "ThingsToDoInUS.pdf" (Filename), "11/27/2011 5:42:55 PM" (Date), "SuperUser Account" (Author), and icons for edit and delete.

Documents added to the article will be displayed in the added documents list. Documents can be edited (Title, Description), removed and the order of documents can be changed.

Advanced settings

Click on the arrow in front of Advance settings and Advanced settings panel will get open.

This panel allows you to change the owner of the article.

The screenshot shows an "ADVANCED SETTINGS" panel. It has a section for "Article Owner" with a checked checkbox and the text "SuperUser Account". Below it is a "Change Owner" section with a checked checkbox, a dropdown menu labeled "Select role", and another dropdown menu labeled "Select author".

Featured article

This option allows us to mark article as the Featured article.

Publish date

Sets article publishing date and time.

Expire date

Sets date and time until which the article will be displayed. It is not necessary to change anything, if the article does not have expire date.

Draft Article or Publish Article

Draft Article - article is saved, but it is not approved

Publish Article – article is displayed immediately after being saved.

Save article




Once the editing of the article is finished, click on the Save article button.

5. MODULE USE AND SETTINGS ADJUSTMENTS

5.1. Dashboard

From the Dashboard you can access all menus, options and settings of module.



Add article – opens the interface for adding new articles

Article manager – opens the interface of Article manager

Approve Articles – displays the list of articles that require approval

Comments – opens the interface for managing comments

Category manager – opens the interface for categories management

Tags – opens the interface for tags management

Tokens – opens the interface for tokens management

Gallery management – opens the EasyDNNgallery content management interface

Module settings – opens the interface for settings adjustment for current module instance

Default settings – opens the interface for adjustment of default module settings
General settings – opens the interface for adjustment of general module settings

Click on the Manage button if you want to access the Dashboard.

The screenshot shows a web-based administration interface for a news portal. At the top, there's a red header bar with the text "NEWS - GLAVNI". Below it, a navigation menu is displayed with a "Manage" button highlighted. The menu is organized into sections: "Edit", "Admin", and "Move".

- Edit**
 - Add Article
 - Category Editor
 - Edit Settings
- Admin**
 - Help
 - Settings
 - Refresh
- Move**
 - To SocialMediaPane
 - To RightPane
 - To Footer_LeftPane
 - To Footer_BottomPane
 - To ContentPane
 - To BottomPane
 - To Footer_RightPane

On the right side of the screen, there is a large text area containing placeholder text in Latin: "stitutional strict is forty-eight ed aliquet risus felis, venenatis roin sodales stibulum nisi e. Ut orci risus, to. Sed lit, fermentum et, viverra nollis lectus. tetur adipiscing elit. Integer nec odio. Praesent libero. Sed cursus ante dapibus diam. Sed nisi. Nulla quis sem at nibh elementum imperdiet. Duis sagittis ipsum. Praesent mauris." This text is partially obscured by a vertical scroll bar on the right.

5.2 Add article

Already explained in section 4.2.

5.3. Article manager

ARTICLE MANAGER

Action	Title	Article dates	Author	Stats	Action
	Cakes are broadly divided into several categories, based primarily on ingredients and cooking techniques	12/7/2011 7:55:00 PM 12/7/2011 7:55:00 PM 12/7/2011 8:12:57 PM	George	8 views, 5.00 rating, 0 comments	Published <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Featured <input type="checkbox"/>
	Coffee is a brewed beverage with a dark, acidic flavor prepared from the roasted seeds of the coffee plant, colloquially called coffee beans	12/7/2011 7:53:00 PM 12/7/2011 7:53:00 PM 12/7/2011 7:54:58 PM	George	7 views, .00 rating, 0 comments	Published <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Featured <input type="checkbox"/>
	A watch is a small timepiece, typically worn either on the wrist or attached on a chain and carried in a pocket, with wristwatches being the most common type of watch used today	12/7/2011 7:50:00 PM 12/7/2011 7:50:00 PM 12/7/2011 7:52:31 PM	George	12 views, .00 rating, 0 comments	Published <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Featured <input type="checkbox"/>
	The flowers of plants that make use of biotic pollen vectors commonly have glands called nectaries that act as an incentive for animals to visit the flower	12/7/2011 7:46:00 PM 12/7/2011 7:46:00 PM 12/7/2011 7:50:02 PM	George	8 views, 5.00 rating, 0 comments	Published <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Featured <input type="checkbox"/>
	A living room, also known as sitting room, lounge room or lounge, is a room for entertaining adult guests, reading, or other activities	12/7/2011 7:42:00 PM 12/7/2011 7:42:00 PM 12/7/2011 7:46:57 PM	George	5 views, .00 rating, 0 comments	Published <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Featured <input type="checkbox"/>
	A bedroom is a private room where people usually sleep for the night or relax during the day	12/7/2011 7:38:00 PM 12/7/2011 7:38:00 PM 12/7/2011 7:41:15 PM	George	4 views, .00 rating, 0 comments	Published <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Featured <input type="checkbox"/>
	An automobile, autocar, motor car or car is a wheeled motor vehicle used for transporting passengers, which also carries its own engine or motor	12/7/2011 7:33:00 PM 12/7/2011 7:33:00 PM 12/7/2011 7:38:30 PM	George	6 views, .00 rating, 0 comments	Published <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Featured <input type="checkbox"/>
	A butterfly is a mainly day-flying insect of the order Lepidoptera, which includes the butterflies and moths	12/7/2011 7:29:00 PM 12/7/2011 7:29:00 PM 12/7/2011 7:32:29 PM	George	8 views, .00 rating, 0 comments	Published <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Featured <input type="checkbox"/>
	Chameleons are a distinctive and highly specialized clade of lizards	12/7/2011 7:25:00 PM 12/7/2011 7:25:00 PM 12/7/2011 7:29:38 PM	George	6 views, .00 rating, 0 comments	Published <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Featured <input type="checkbox"/>
	The Eurasian lynx is a medium-sized cat native to European and Siberian forests, South Asia and East Asia	12/7/2011 7:21:00 PM 12/7/2011 7:21:00 PM 12/7/2011 7:24:31 PM	George	3 views, .00 rating, 0 comments	Published <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Featured <input type="checkbox"/>

Select all Unselect all Publish OK Number of rows: 10 1 2 3

Article Manager displays all published and saved articles. It is possible to edit articles directly from the Article Manager.

Clicking on Show filter settings opens a panel in which you can adjust filtering of displayed articles.

The screenshot shows a 'Show filter settings' dialog box. It contains a 'Filter by:' section with checkboxes for 'Category' (with a dropdown 'Select category'), 'Author' (with a dropdown 'Select user'), 'Published' (with a dropdown 'Published'), 'Approved' (with a dropdown 'Approved'), and 'Featured' (with a dropdown 'Featured'). To the right are four dropdown menus for 'Order by' and 'Order type' (both set to 'Ascending') and a 'Filter' button.

The screenshot shows the Article Manager interface with a list of articles. The columns are 'Action', 'Title', 'Article dates', 'Author', 'Stats', and 'Action'. One article titled 'Pizza - History & Legends of Pizza' is selected, showing its details: published on 11/27/2011 at 9:55:00 PM, expire date 11/27/2011 at 9:55:00 PM, last modified on 11/28/2011 at 1:09:49 AM, and authored by SuperUser Account. The 'Stats' column shows 4 comments, 0 rating, and 0 views. The 'Action' column for this article includes links for 'Edit article', 'Delete article', 'View article', 'Article localization', 'Copy this article as a new entry', and 'View comments'. A separate 'Action' column on the right side of the table includes 'Published', 'Approved', and 'Featured' buttons. Red arrows point from callout boxes to specific UI elements: one points to the 'Show filter settings' link, another to the 'Edit article' link, and a third to the 'Article localization' link. Other arrows point to the 'Main article image' (linked to the article title), the 'Stats' row (linked to the 'Number of comments', 'Article rating', and 'Number of views' values), and the 'Action' buttons.

5.4. Approve articles

The screenshot shows a table titled "APPROVE ARTICLES" with the following columns: Action, Title, Article dates, Author, and Action. There are four rows of data:

Action	Title	Article dates	Author	Action
<input type="checkbox"/>	Things to Do in United States	11/27/2011 8:39:00 PM 11/27/2011 8:39:00 PM 11/27/2011 8:39:00 PM	SuperUser Account	Approved <input checked="" type="checkbox"/>
<input type="checkbox"/>	What is a Classic Car?	11/27/2011 8:11:00 PM 11/27/2011 8:11:00 PM 11/27/2011 8:11:00 PM	SuperUser Account	Approved <input checked="" type="checkbox"/>
<input type="checkbox"/>	The History of Ice Cream	11/27/2011 8:30:00 PM 11/27/2011 8:30:00 PM 11/27/2011 8:30:00 PM	SuperUser Account	Approved <input type="checkbox"/>
<input type="checkbox"/>	Pizza - History & Legends of Pizza	11/27/2011 9:55:00 PM 11/27/2011 9:55:00 PM 11/27/2011 9:55:00 PM	SuperUser Account	Approved <input type="checkbox"/>

At the bottom left are buttons for "Select all" and "Unselect all". At the bottom right is a "Number of rows" dropdown set to 10.

This page displays articles that are still not approved for being displayed

Clicking on Show filter settings opens a panel in which you can adjust filtering of displayed articles.

The screenshot shows a "Filter by:" section with the following fields:

- Category: Select category
- Author: Select user
- Published: Published
- Approved: Approved
- Featured: Featured

To the right of these fields are two sets of "Order by:" and "Order type:" dropdowns:

Order by:	Order by
Order type:	Ascending
Order by:	Order by
Order type:	Ascending

A "Filter" button is located at the bottom right of the panel.


5.5. Comments

Author	Comment	Stats	Article title
 Approved <input checked="" type="checkbox"/>	<p>Lorem ipsum dolor sit amet, mauris interdum neque diam elit tincidunt, est mi placerat tortor donec, erat metus est. Adipiscing congue, ad duis nec, erat nulla justo ultricies, ut mauris nonummy vel nec, tincidunt lacus quisque tellus et viverra at. Ipsum vitae sem sed, tincidunt nibh justo sollicitudin ipsum, a phasellus amet</p>	Created: 12/9/2011 11:04 AM Up votes: 0 Down votes: 0	Croatia, officially the Republic of Croatia, is a unitary democratic parliamentary republic in Europe.
 Approved <input checked="" type="checkbox"/>	<p>Andrew</p> <p>Lorem ipsum dolor sit amet, mauris interdum neque diam elit tincidunt, est mi placerat tortor donec, erat metus est. Adipiscing congue, ad duis nec, erat nulla justo ultricies, ut mauris nonummy vel nec, tincidunt lacus quisque tellus et viverra at. Ipsum vitae sem sed, tincidunt nibh justo sollicitudin ipsum, a phasellus amet</p>	Created: 12/9/2011 10:46 AM Up votes: 0 Down votes: 0	Canada is a North American country consisting of ten provinces and three territories
 Approved <input checked="" type="checkbox"/>	<p>John</p> <p>Lorem ipsum dolor sit amet, mauris interdum neque diam elit tincidunt, est mi placerat tortor donec, erat metus est. Adipiscing congue, ad duis nec, erat nulla justo ultricies, ut mauris nonummy vel nec, tincidunt lacus quisque tellus et viverra at. Ipsum vitae sem sed, tincidunt nibh justo sollicitudin ipsum, a phasellus amet</p>	Created: 12/9/2011 10:41 AM Up votes: 0 Down votes: 0	Germany officially the Federal Republic of Germany is a federal parliamentary republic in Europe
 Approved <input checked="" type="checkbox"/>	<p>Andrew</p> <p>Lorem ipsum dolor sit amet, mauris interdum neque diam elit tincidunt, est mi placerat tortor donec, erat metus est. Adipiscing congue, ad duis nec, erat nulla justo ultricies, ut mauris nonummy vel nec, tincidunt lacus quisque tellus et viverra at. Ipsum vitae sem sed, tincidunt nibh justo sollicitudin ipsum, a phasellus amet</p>	Created: 12/9/2011 10:41 AM Up votes: 1 Down votes: 0	Germany officially the Federal Republic of Germany is a federal parliamentary republic in Europe

This page displays all comments. It is possible to approve, edit or delete comments from here.

Clicking on Show filter settings opens a panel in which you can adjust filtering of displayed comments.

5.6. Category manager




Category manager is used for creating and managing categories. A new category can be created by clicking on the pencil icon.

Category order can be adjusted by using arrows.

Number of categories and subcategories is unlimited. Each category can contain unlimited number of subcategories. The number of category levels is also unlimited.

5.7. Tags



Tag editor displays tags used in articles. It is possible to edit or delete tags from here.

5.8. Tokens

In the Token editor you can create your tokens that can be used within the EasyDNNnews module.

We create a new token by entering the name of the token into the Token title field. The token name must be placed between brackets. Ex. [token]

Enter the content of the token in the Token content field.

It is possible to insert the token into the article content or template and the token will be replaced with its content.

Token can be text, picture, video, table...

The screenshot shows the 'TOKEN EDITOR' interface. At the top, there are tabs for 'User defined tokens' (which is selected) and 'System tokens'. Below the tabs, a blue button says 'Add new token'. The main area has two sections: 'Token title' and 'Token content'. In the 'Token title' section, the value '[EasyDNNNewsSystemToken:SysAddThis]' is entered. In the 'Token content' section, the 'Editor' dropdown is set to 'Rich Text Editor', and a rich text toolbar is visible above a large text area containing the following HTML code:

```
<!-- AddThis Button BEGIN --><div class="addthis_toolbox addthis_default_style "><a class="addthis_button_facebook_like" fb:like:layout="button_count"></a><a class="addthis_button_tweet"></a><a class="addthis_button_google_plusone" g:plusone:size="medium"></a><a class="addthis_counter addthis_pill_style"></a></div><script type="text/javascript" src="http://s7.addthis.com/js/250/addthis_widget.js#pubid=xa-4e83374938ea2808"></script>
```

At the bottom of the editor, there are three buttons: 'Design', 'HTML' (which is selected), and 'Preview'. A 'Save token' button is located at the very bottom.

5.9. Gallery management

If the EasyDNNgallery module is installed on the portal, then it is possible to open Content Management of EasyDNNgallery module from the Dashboard.

The screenshot shows the 'Manage categories' section of the EasyDNNgallery module. At the top, there's a message 'Last added/modified galleries' with a list of recent galleries: 'Pizza - History & Legends of Pizza' (11/27/2011 9:56:30 PM), 'The History of Ice Cream' (11/27/2011 8:32:41 PM), 'What is a Classic Car?' (11/27/2011 8:14:05 PM), 'Things to Do in United States' (11/27/2011 5:17:39 PM), and '#News Articles - Shared gallery' (11/27/2011 3:39:49 PM). Below this is a 'Select the number of galleries per page:' dropdown set to 5. A modal window titled 'Add NEW Category' is open, showing fields for 'Category name:' and 'Description:' with a '+' button. The main table lists one category: #News Articles, which is a 'Category for EasyDNNNews article galleries.' The table has columns for Actions (Open, Edit, Delete), ID, Name, Description, No. of Galleries (5), and Position (10). A 'Save Positions' button is at the bottom right of the table. At the bottom left, there's a 'Categories per page:' dropdown set to 10.

Instructions for using EasyDNNgallery module can be found with the EasyDNNgallery module installation package.

5.10. Module settings

Module settings can be adjusted for the entire portal (Default settings), or it can be adjusted on the instance level (Module settings).

Module can use the default settings or the settings can be adjusted on a certain module instance and different from default settings.

The screenshot shows the 'News Settings' configuration panel. At the top, it says 'This module instance is using' with radio buttons for 'Custom settings (instance)' (selected) and 'Default settings (portal)'. Below is a list of 14 settings, each with two radio buttons: 'Default settings' (selected) and 'Module instance (override default)'. The settings are numbered 1 through 14:

Setting Number	Setting Name	Default settings (radio)	Module instance (override default) (radio)
1	Permissions	<input checked="" type="radio"/>	<input type="radio"/>
2	Main display	<input type="radio"/>	<input checked="" type="radio"/>
3	Multi module article display	<input checked="" type="radio"/>	<input type="radio"/>
4	Category selection and article display	<input checked="" type="radio"/>	<input type="radio"/>
5	Template and theme selection	<input type="radio"/>	<input checked="" type="radio"/>
6	Article image	<input type="radio"/>	<input checked="" type="radio"/>
7	Article gallery image upload	<input checked="" type="radio"/>	<input type="radio"/>
8	EasyDNNGalley integration	<input checked="" type="radio"/>	<input type="radio"/>
9	Article images tokens default preset	<input checked="" type="radio"/>	<input type="radio"/>
10	Comments	<input checked="" type="radio"/>	<input type="radio"/>
11	Paid content	<input checked="" type="radio"/>	<input type="radio"/>
12	Related articles and RSS	<input checked="" type="radio"/>	<input type="radio"/>
13	Limit content formating	<input checked="" type="radio"/>	<input type="radio"/>
14	SEO URL settings	Portal only	

At the bottom are buttons for 'Save settings', 'Save & Close', and 'Cancel'. There is also a link 'Load & save settings from another file'.

In order to open the panel in which we would like to adjust a certain setting, it is necessary to click on the setting (1-14) that we would like to adjust. After the adjustment is completed, it is necessary to click the Save settings button or the Save & Close button.

All settings (1-14) are described in section 5.11.

5.11. Default module settings

The screenshot shows a 'News Settings' panel with a list of 14 items, each with a small icon and a number from 1 to 14. The items are:

- 1 Permissions
- 2 Main display
- 3 Multi module article display
- 4 Category selection and article display
- 5 Template and theme selection
- 6 Article Image
- 7 Article gallery Image upload
- 8 EasyDNNGalley Integration
- 9 Article images tokens default preset
- 10 Comments
- 11 Paid content
- 12 Related articles and RSS
- 13 Limit content formating
- 14 SEO URL settings

At the bottom of the panel are three buttons: 'Save settings', 'Save & Close', and 'Cancel'. Below these buttons is a checkbox labeled 'Load & save settings from another file'.

In order to open the panel in which we would like to adjust a certain setting, it is necessary to click on the setting (1-14) that we would like to adjust. After the adjustment is completed, it is necessary to click the Save settings button or the Save & Close button.

All the settings are described further in the text.

5.11.1 Permissions

News Settings

Edit Default Settings

Expand all | Collapse all

Permissions

Role permissions:

Role	Add edit articles	Approve articles	Document upload	Document download	Add Categories	Allow To Comment	Approve Comments	View Paid Content	Show Shared gallery	Show custom gallery	Add Article To All	Show All Categories
Administrators	<input checked="" type="checkbox"/>	<input checked="" type="radio"/> All categories <input type="radio"/> Current categories <input type="radio"/> Selected categories <input checked="" type="radio"/> None										
Registered Users	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="radio"/> All categories <input type="radio"/> Selected categories <input checked="" type="radio"/> None									
Subscribers	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="radio"/> All categories <input type="radio"/> Selected categories <input checked="" type="radio"/> None									
Translator (en-US)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="radio"/> All categories <input type="radio"/> Selected categories <input checked="" type="radio"/> None									
Unauthenticated Users	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="radio"/> All categories <input type="radio"/> Selected categories <input checked="" type="radio"/> None									

User permissions:

Add user by username: _____ [Add](#)

Using this interface it is possible to setup role permissions for the articles. It is also possible to setup permissions for an individual user.

5.11.2. Main display

2 Main display

Select article display view:	<input type="button" value="?"/> Article Display
Number of posts per page:	<input type="button" value="?"/> 5
Number of post columns:	<input type="button" value="?"/> 1
Display layout as HTML table:	<input type="checkbox"/>
Total number of posts to display:	<input type="button" value="?"/> 0
Number of pager links:	<input type="button" value="?"/> 10
Show article paging:	<input checked="" type="checkbox"/>
Open details in another module instance:	<input type="button" value="?"/> Select

Select article display view – select between two display options (Article display and Catalog Display)

Number of posts per page – enter the number of articles on the page

Number of post columns – enter the number of columns in which the articles will be displayed

Display layout as HTML table – layout will be display as a HTML table

Number of pager links – enter the maximum number of articles that will be displayed. If the value is 0, all articles will be displayed.

Show article paging – turn on article paging

Open details in another module instance – selection of the module instance in which the article details will be opened

5.11.3. Multi module article display

3 Multi module article display

Number of starting article:	<input type="button" value="?"/> 1
Recievie global query string:	<input type="checkbox"/>
Open article links in another page.	<input type="button" value="?"/> Select

Number of starting article – ordinal article number from which the display starts

Receive global query string – turn on option receive global query string

Open article links in another page – selection for opening categories, subcategories and tag URLs on the another page.

5.11.4. Category selection and article display

4 Category selection and article display

Categories to display: Display all categories.

Order posts by: Publish date Descending

Show only featured articles:

Enable article rating:

Article must be approved:

Updated article must be approved:

Author can only edit their own articles:

Categories to display – sets which categories will be displayed

Order posts by – sets the order method in which the articles will be displayed

Show only featured articles – displays only the featured articles

Enable article rating – turns on article rating option

Article must be approved – turns on Article must be approved option

Updated article must be approved – turns on Updated articles must be approved option.

Author can only edit their own articles – turns on Author can only edit their own articles option.

5.11.5. Template and theme selection

5 Template and theme selection

Article list template: BlogOne

Article list theme: List_Article_Default.htm

Article details template: BlogOne

Article details theme: Details_Article_Default.htm

Article comments theme: Comments_Default.htm

Display style: No display style

Enable theme changing in article:

Article list template – Article list template selection

Article list theme – Article list theme selection

Article details template – Article details template selection

Article details theme – Article details theme selection

Article comments theme – Article comments theme selection

Display style – Theme style selection

Enable theme changing in article – enables the change of the theme in the article

5.11.6. Article Image

The screenshot shows a configuration panel titled "Article image". It contains several input fields and checkboxes:

- Image thumb width: 150
- Image thumb height: 150
- Proportionally resize thumb:
- Resize & crop thumb:
- Main image width: 300
- Main image height: 300
- Proportionally resize main image:
- Resize & crop main image:

Image thumb width – sets the thumbnail width in pixels

Image thumb height – sets the thumbnail height in pixels

Proportionally resize thumb – sets Proportionally resize thumb

Main image width – sets Main image width

Main image height – sets Main image height

Proportionally resize main image - turns on Proportionally resize main image

Resize & crop main image – turns on Resize & crop main image

5.11.7. Article gallery image upload



Resize image on upload – turns on picture resize option

Image upload width – sets image upload width in pixels to which the picture will be resized

Image upload height – sets Image upload height in pixels to which the picture will be resized.

5.11.8. EasyDNNgallery integration

The screenshot shows a configuration interface for 'EasyDNN Galley integration'. At the top, there is a checkbox labeled 'Enable gallery integration:' which is checked. Below this, under 'Gallery settings', there are several configuration options:

- 'Force default settings on all articles:' with a checked checkbox.
- 'Gallery display type:' set to 'Lightbox gallery' (selected from a dropdown).
- 'Gallery position:' set to 'Below article' (selected from a dropdown).
- 'Gallery theme:' set to 'EDG_0_Shadow.css' (selected from a dropdown).
- 'Lightbox theme:' set to 'Light rounded' (selected from a dropdown).
- 'Gallery thumb width:' set to '100'.
- 'Gallery thumb height:' set to '100'.
- 'Items per page:' set to '5'.
- 'Number of columns:' set to '5'.
- 'Display item title in Lightbox:' with a checked checkbox.
- 'Display item description in Lightbox:' with a checked checkbox.
- 'Display item title:' with a checked checkbox.
- 'Display item description:' with a checked checkbox.
- 'User can see only their own galleries:' with a checked checkbox.
- 'User can see only their own images:' with a checked checkbox.

Enable gallery integration – turns on EasyDNNnews and EasyDNNgallery integration

Gallery settings:

Force default settings on all articles – turns on the usage of default settings on all of the articles

Gallery display type – view type selection (Lightbox, video, audio)

Gallery theme – CSS theme gallery selection

Lightbox theme – Lightbox theme selection

Gallery thumb width – default thumbnail width in pixels

Gallery thumb height – default thumbnail height in pixels

Items per page – number of pictures per page that will be displayed

Number of columns – number of columns

Display item title in Lightbox – turns on Display item title in Lightbox

Display item description in Lightbox – turns on Display item description in Lightbox

Display item title – turns on Display item title

Display item description – turns on Display item description

User can see their own galleries – turns on the option for the user to be able to see only their own galleries

User can see only their own images – turns the option for the user to be able to see only its own images

5.11.9. Article images tokens default preset

9 Article images tokens default preset

Insert image width:	<input checked="" type="checkbox"/> 200
Insert image token width:	<input checked="" type="checkbox"/> 200
Insert image CSS class:	<input checked="" type="checkbox"/>
Insert image inline CSS style:	<input checked="" type="checkbox"/>
Show audio video items in LightBox:	<input checked="" type="checkbox"/> <input type="checkbox"/>
Display image title:	<input checked="" type="checkbox"/> <input type="checkbox"/>
Display image description:	<input checked="" type="checkbox"/> <input type="checkbox"/>
Resize and crop image:	<input checked="" type="checkbox"/> <input type="checkbox"/>

Insert image width – default image width in pixels which will be used in the generated token

Insert image height - default image height in pixels which will be used in the generated token

Insert image CSS class – CSS class which will be applied to the image

Insert image inline CSS style – Inline CSS style

Show audio video items in Lightbox – turns on video & audio file display in Lightbox

Display image description – turns on Display image description

Resize and crop image – turns on Resize and Crop image

5.11.10. Comments

The screenshot shows a configuration page titled 'Comments' (section 10). It contains several settings with checkboxes:

- Allow comments:
- Show already written comments:
- Enable turn on/off comments per article:
- Show comments rating:
- Show threaded comments:
- Comments must be approved:
- Enable CAPTCHA:

Allow comments – turns on the possibility to add comments to the article

Show already written comments - turns on display of existing comments if the subsequent comment posting has been disabled

Enable turn on/off comments per article – turns on the possibility of enabling and disabling posting comments per article

Show comments rating – turns on comment rating

Show threaded comments – turns on Show Threaded comments.

Comments must be approved –turns on Comments must be approved option

Enable CAPTCHA – turns on CAPTCHA

5.11.11. Paid content

The screenshot shows a configuration page titled 'Paid content' (section 11). It contains three settings with checkboxes:

- Enable paid content:
- Show comments for non paid viewers:
- Show image gallery for non paid viewers:

Enable paid content – enables the usage of paid content

Show comments for non-paid viewers – turns on Show comments for non-paid viewers option

Show image gallery for non-paid viewers – turns on Show image gallery for non-paid viewers option

Paid content is content or part of the content that is visible only to a certain user role. Paid content is managed by using the token. For list of tokens see chapter 8..

5.11.12. Related articles and RSS

The screenshot shows a configuration panel for 'Related articles and RSS'. It has two main sections: 'Related articles' and 'RSS'.

Related articles:

- Enable related articles:
- Number of related articles:
- Sorting of related articles:

RSS:

- RSS link:
- Enter url for the RSS back link:

Related articles

Enable related articles – turns on enable related articles display option

Number of related articles – number of related articles that will be displayed

Sorting of related articles – sets the sorting method of related articles

Rss

RSS link – Link to the RSS channel

Enter url for the RSS back link – enter the url for the RSS back link

5.11.13. Limited content formatting

The screenshot shows a configuration panel for 'Limit content formating'. It has three settings:

- Limit title length:
- Limit summary length:
- Limit article length:

Limit title length – limits the maximum title length in characters.

Limit summary length – limits the maximum length of the summary content in characters. If the value is 0, all characters will be displayed.

Limit article length – limits the maximum length of the article content in characters. If the value is 0, all articles content will be displayed.

5.11.14. SEO URL settings

The screenshot shows a software interface titled "SEO URL settings". At the top left is a blue button with the number "14". Below the title is a section labeled "List of characters to replace during link generation" with a small "i" icon. Underneath this is a form with three fields: "Add character to list:" followed by a dropdown menu, "Old character:" followed by a text input field, and "New character:" followed by another text input field. To the right of these fields is a blue "Add" button.

List of characters to replace during link generation

Old character – letter in the link that will be replaced by a new letter

New character – letter that replaces the old letter

6. ADDITIONAL MODULES

We provide several additional modules with the EasyDNNnews module:

EasyDNNnews Calendar module
EasyDNNnews Category menu module
EasyDNNnews TagCloud module
EasyDNNnews Search module

6.1. EasyDNNnews Calendar module

EDIT EASYDNNNEWSCALENDAR

Calendar settings

Show calendar archive:	<input checked="" type="checkbox"/>
Open in:	<input type="checkbox"/> Module <input type="button" value="Select"/>
<input checked="" type="checkbox"/> Page <input type="button" value="News"/>	
Show treeview archive:	<input type="checkbox"/>
Show archive in module:	<input type="button" value="Select"/>
Show monthly archive:	<input type="checkbox"/>
Show monthly archive in module:	<input type="button" value="Select"/>
Module theme:	<input type="button" value="Calendar2.css"/>
Post day color:	<input type="button" value="Transparent"/>
Post day border color:	<input type="button" value="Transparent"/>
Post day border size:	<input type="text" value="1"/>

Save **Save & Close** **Cancel**

Show calendar archive – highlights published articles in the calendar and filters articles according to their publishing date.

Open in module or page – selection of the module or the page where the filtered articles will be displayed.

Show monthly archive – displays article archive categorized on a monthly basis

Show monthly archive in module – selection of module in which the archive will be displayed

Module theme – selection of CSS theme

6.2. EasyDNNnews Category menu module

EDIT EASYDNNNEWS CATEGORIES

News Category menu

Category menu mode:

Select module: Module News - EasyDNNNews

Select page: Page News

Module template:

Module theme:

Orientation:

Show post count:

Display all categories and subcategories
 Expand all

Category menu module – menu type selection

Select module – selection of the module in which the results will be opened

Select page – selection of the page on which the results will be opened

Module template – selection of the menu template

Module theme – selection of the menu theme

Show post count – number of articles in category

6.3. EasyDNNnews TagCloud module

EDIT EASYDNNNEWS TAGCLOUD

Tag cloud settings

Number of tags:

Sorting:

Open in: News - EasyDNNNews
 Page News

Select theme:

Select display style:

Number of tags – number of tags that will be displayed

Sorting – sets the method for tags sorting

Open in Module or Page – sets the module or the page where the filtered results will be displayed

Select theme – CSS theme selection

Select display style – Style selection

6.4. EasyDNNnews Search module

The screenshot shows the 'Search settings' configuration page. It includes fields for selecting modules, themes, templates, and search options, along with save and cancel buttons.

Search settings	
Select module to open details:	<input checked="" type="radio"/> Display search form <input type="radio"/> Display results form
Select module to open search results:	News - EasyDNNNewsSearch
Select module to open articles:	News - EasyDNNNews
Number of characters to display in result:	300
Select theme:	BlogOne
Select template:	Search1.htm
Select display style:	Green.css
Search button position:	Inside search textbox
Search options:	<input type="radio"/> Search title <input type="radio"/> Search article <input checked="" type="radio"/> Search title and article
Highlight results:	<input checked="" type="checkbox"/>
Buttons:	
Save	Save & Close
Cancel	

Select module to open details – select between Search form and results display form.

Select module to open search results – selection of module in which the search results will be opened.

Select module to open articles – selection of module in which the articles will be opened.

Number of characters to display in result – number of characters that will be displayed in the result

Select theme – CSS theme selection

Select template – Template selection

Select display style – style selection

Search button position – search button position selection

Search options

Highlight results – turns on Highlighting results option

7. LOCALIZATION

7.1. Content localization

It is possible to localize news module contents to different languages. In order for the localization to become available, it is necessary to add an additional language in DotNetNuke.

Languages in DotNetNuke are managed from menu Admin > Languages.

The screenshot shows the 'LANGUAGE MANAGEMENT' section of the DotNetNuke admin interface. At the top, 'System Default:' is set to 'English (United States)' with a flag icon. Below it, 'Site Default:' is also set to 'English (United States)' with a dropdown arrow. There are two radio button options: 'Native Name' (selected) and 'English Name'. A checkbox for 'Enable Browser Language Detection?' is checked. An 'Update' button is visible. The main table lists cultures: 'English (United States) **' and 'German (Germany)'. Both rows have checkboxes for 'Enabled' and 'Edit'. Under 'Static Resources', there are three columns: 'System', 'Host', and 'Site', each with five small icons. A note at the bottom states '** - The default site language cannot be disabled.' At the bottom of the page are buttons for 'Add New Language', 'Install Language Pack', 'Create Language Pack', and 'Verify Language Resource Files'.

Once another language is added, it will be possible to localize contents in EasyDNNnews module.

Click on the Content localization button in order to localize the content.


The screenshot shows the 'EDIT ARTICLE' page for the 'Pizza - History & Legends of Pizza' article. The title is 'Pizza - History & Legends of Pizza' and the subtitle is 'Pizza is a baked pie of Italian origin'. Below the article content are sections for 'SEO settings' and 'Categories'. The 'Categories' section shows a tree view with 'Places', 'Cars', and 'Food' under a parent category. A red arrow points to the 'Content localization' button in the top right corner of the article editor area.

Select the language from the Select Language menu and enter the content in the selected language.

All fields can be filled with already entered content in the default language by clicking on the Copy default values button. This can be useful during the direct text translation because editor can see the text that is being translated.




It is possible to localize categories. In Category Manager choose the category that you want to localize and click the Edit button.



Click on the Category localization button.



Choose the language that you want to localize, enter the translated value and save the values by clicking on the Save category localization button.



8. INSTRUCTIONS FOR ADVANCED USERS

8.1. List of tokens

TOKEN	DESCRIPTION	Template where it can be used
[EasyDNNnews: Title]	Description: Article title. Example: This is article title	<ul style="list-style-type: none"> ○ List_ ○ Details_
[EasyDNNnews: Title: Limit: 20]	Description: Article title limited to 20 characters length. ** Example: This is article ...	<ul style="list-style-type: none"> ○ List_
[EasyDNNnews: Title: Link]	Description: Link that opens article details. * Example: http://site.com/article...	<ul style="list-style-type: none"> ○ List_
[EasyDNNnews: SubTitle]	Description: Article subtitle. Example: This is article subtitle	<ul style="list-style-type: none"> ○ List_ ○ Details_
[EasyDNNnews: SubTitle: Limit: 20]	Description: Article subtitle limited to 20 characters length. ** Example: This is article ...	<ul style="list-style-type: none"> ○ List_
[EasyDNNnews: Summary]	Description: Article summary. Example: This is summary This is summary This is summary	<ul style="list-style-type: none"> ○ List_ ○ Details_
[EasyDNNnews: Summary: Limit: 30]	Description: Article subtitle limited to 30 characters length. Example: This is summary This is ...	<ul style="list-style-type: none"> ○ List_
[EasyDNNnews: Article]	Description: Main article content. Example: This is article content This is article content This is article content	<ul style="list-style-type: none"> ○ List_ ○ Details_
[EasyDNNnews: Article: Limit: 300]	Description: Main article limited to 300 characters length. Example: This is article content This is article content ...	<ul style="list-style-type: none"> ○ List_
[EasyDNNnews: ReadMore]	Description: Link to article details. How to use it template:	<ul style="list-style-type: none"> ○ List_

		
[EasyDNNnews: ReadMore: Title]	<p>Description: By default it shows "Read more" or it can be set into something else in .resx file.</p> <p>How to use it template: [EasyDNNnews: ReadMore: Title]</p>	<ul style="list-style-type: none"> o List_
[EasyDNNnews: Author: Link]	<p>Description: Article author.</p> <p>Example: User name</p> <p>: Link - Displays a link that will list all author's articles.</p>	<ul style="list-style-type: none"> o List_ o Details_
[EasyDNNnews: Image]	<p>Description: Main article image.</p> <p>How to use it in template: <img src="[EasyDNNnews: Image]" /></p>	<ul style="list-style-type: none"> o List_ o Details_
[EasyDNNnews: Image: Width: 100: Height: 100]	<p>Description: Main article image with width and height set.</p>	<ul style="list-style-type: none"> o List_ o Details_
[EasyDNNnews: Image: Visibility]	<p>Description: If the image does not exist it does not shows the element where is set.</p> <p>Example: <div class="imageclass"> [EasyDNNnews: Image: Visibility]
<img src="[EasyDNNnews: Image]" /></div></p>	<ul style="list-style-type: none"> o List_ o Details_
[EasyDNNnews: IfExists: Image] [EasyDNNnews: EndIf: Image]	<p>If an image exists then the content placed between these tokens will be displayed.</p>	<ul style="list-style-type: none"> o Details_
[EasyDNNnews: IfNotExists: Image] [EasyDNNnews: EndIf: Image]	<p>If an image does not exist then the content placed between these tokens will be displayed.</p>	<ul style="list-style-type: none"> o Details_
[EasyDNNnews: PublishDateShort]	<p>Description: Publish date.</p> <p>Example: 11/27/2011</p>	<ul style="list-style-type: none"> o List_ o Details_
[EasyDNNnews: PublishDateTime]	<p>Description: Publish date and time.</p> <p>Example: 11/27/2011 2:35:00 PM</p>	<ul style="list-style-type: none"> o List_ o Details_
[EasyDNNnews: PublishDate]	<p>Description: Publish date with day and month names.</p> <p>Example: Sunday, November 27, 2011</p>	<ul style="list-style-type: none"> o List_ o Details_
[EasyDNNnews: PublishYear]	<p>Description: Publish year.</p> <p>Example: 2011</p>	<ul style="list-style-type: none"> o List_ o Details_
[EasyDNNnews: Month]	<p>Description: Publish month.</p> <p>Example: 11</p>	<ul style="list-style-type: none"> o List_ o Details_
[EasyDNNnews: PublishDay]	<p>Description: Publish day.</p>	<ul style="list-style-type: none"> o List_ o Details_

	Example: 27	
[EasyDNNnews: PublishMonthString]	Description: Short publish month. Example: Nov, Dec, Oct...	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: Categories separator="," nolink]	<p>Description: Shows all article categories separated by comma with active link.</p> <p>Example: <u>Category1</u>, <u>Category2</u>, <u>Category3</u></p> <p>separator="" - the content placed between quotation marks will be displayed between the categories. By default the categories will be separated with comma ",".</p> <p>nolink - this option will display the categories only as a text without a link.</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: Tags separator="," nolink]	<p>Description: Shows all article tags separated by comma with active link.</p> <p>Example: <u>Tag1</u>, <u>Tag2</u>, <u>Tag3</u></p> <p>separator="" - the content placed between quotation marks will be displayed between the tags. By default the tags will be separated with comma ",".</p> <p>nolink - this option will display the tags only as a text without a link.</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: Comments]	Description: Number of comments.	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: ArticleLink]	Description: Link to article details.	<ul style="list-style-type: none"> <input type="radio"/> List_
[EasyDNNnews: PaidContentStart]	Description: Marks the start of paid content.	<ul style="list-style-type: none"> <input type="radio"/> Article content
[EasyDNNnews: PaidContentEnd]	Description: Marks the end of paid content.	<ul style="list-style-type: none"> <input type="radio"/> Article content
[EasyDNNnews: UnPaidContentStart]	Description: Marks the start of non-paid content which is displayed when user does not have privileges to see the paid content.	<ul style="list-style-type: none"> <input type="radio"/> Article content
[EasyDNNnews: UnPaidContentEnd]	Description: Marks the end of non-paid content which is displayed when user does not have privileges to see the paid content.	<ul style="list-style-type: none"> <input type="radio"/> Article content
[EasyDNNnews: NumberOfViews]	Description: Number of article views.	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: ArticleRating]	Description: Shows article rating. In Details_ gives option to rate article.	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnewsLocalizedText: SomeText.Text]	Description: All words in template can be localized by adding SomeText.Text record with value into .rescx file.	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: PageBreak]	Description: With this token article can be split into multiple pages. Put this in the	<ul style="list-style-type: none"> <input type="radio"/> Article content

	text where you want to split the article.	
[EasyDNNnews: CurrentPageURL]	Description: Display current article URL.	<ul style="list-style-type: none"> ○ Details_
[EasyDNNnews: RelatedArticles]	Description: Displays related articles.	<ul style="list-style-type: none"> ○ Details_
[EasyDNNnews: DocumentList]	Description: Displays documents that were added to the article.	<ul style="list-style-type: none"> ○ Details_
[EasyDNNnews: ItemOrderClasses]	Description: It displays two classes for use in CSS. First one is "odd" or "even" and the second one is "itemnumber".	<ul style="list-style-type: none"> ○ List_
[EasyDNNnewsSystemToken: SysFacebookLikeButton]	Description: Facebook Like button.	<ul style="list-style-type: none"> ○ List_ ○ Details_
[EasyDNNnewsSystemToken: SysFacebookShareButton]	Description: Facebook Share button.	<ul style="list-style-type: none"> ○ List_ ○ Details_
[EasyDNNnewsSystemToken: SysTwitter]	Description: Twitter Button.	<ul style="list-style-type: none"> ○ List_ ○ Details_
[EasyDNNnewsSystemToken: SysGooglePlus]	Description: Google Plus button.	<ul style="list-style-type: none"> ○ List_ ○ Details_
[EasyDNNnewsSystemToken: SysAddThis]	Description: AddThis service button with Facebook, Twitter and Google Plus.	<ul style="list-style-type: none"> ○ List_ ○ Details_
[EasyDNNnews: CatalogBreadCrumbTitle]	Description: Category name in BreadCrumb pane. Example: Category1	<ul style="list-style-type: none"> ○ List_Catalog_ ○ Details_Catalog_ <p>It is placed inside <!-- BreadCrumbTemplate--> pane</p>
[EasyDNNnews: CatalogBreadCrumbLink]	Description: Display BreadCrumb link of current category position. Example: Category 1 > category 2	<ul style="list-style-type: none"> ○ List_Catalog_ ○ Details_Catalog_ <p>It is placed inside <!-- BreadCrumbTemplate--></p>
[EasyDNNnews: CatalogCategoryTitle]	Description: Displays category title. Example: Category 1	<ul style="list-style-type: none"> ○ List_Catalog_ ○ Details_Catalog_ <p>It is placed inside <!-- HeaderTemplate--> <!--CategoryTemplate--></p>
[EasyDNNnews: CatalogCategoryDescription]	Description: Displays category description.	<ul style="list-style-type: none"> ○ List_Catalog_ ○ Details_Catalog_ <p>It is placed inside <!-- HeaderTemplate--> <!--CategoryTemplate--></p>
[EasyDNNnews: CatalogCategoryURL]	Description: Displays category link.	<ul style="list-style-type: none"> ○ List_Catalog_ ○ Details_Catalog_ <p>It is placed inside <!-- CategoryTemplate--></p>
[EasyDNNnews: CatalogCategoryImage]	Description: Category image. How to use it template: 	<ul style="list-style-type: none"> ○ List_Catalog_ <p>It is placed inside <!-- CategoryTemplate--></p>
[EasyDNNnews: CatalogCategoryImage: Width: 300: Height: 200]	Description: Category image with width and height set to 300x200.	<ul style="list-style-type: none"> ○ List_Catalog_ <p>It is placed inside <!-- CategoryTemplate--></p>
[EasyDNNnews: CatalogCategoryImage: Visibility]	Description: If the image does not exist it does not shows the element where is set. Example:	<ul style="list-style-type: none"> ○ List_Catalog_ <p>It is placed inside <!-- CategoryTemplate--></p>

	<div class="imageclass"> [EasyDNNnews: CatalogCategoryImage: Visibility]><img src="[EasyDNNnews:CatalogCategoryImage]"</></div>	
[EasyDNNnews: IfMediaType:Image] ... [EasyDNNnews: EndIfMediaType]	Description: Between these two tokens you can place the HTML that would be shown if the main article image is set.	<ul style="list-style-type: none"> o Details_
[EasyDNNnews: IfMediaType:EmbedMedia]...[EasyDNNnews: EndIfMediaType]	Description: Between these two tokens you can place the HTML and the token that will be shown in the main article is set to another media than image.	<ul style="list-style-type: none"> o Details_
[EasyDNNnews: MainMedia: Width: 600: Height: 300]	Description: Token has two parameters Width and Height. It is the size in pixels of the media that will be shown	<ul style="list-style-type: none"> o Details_
[EasyDNNnewsComment: DateAdded]	Description: Comment added date..	<ul style="list-style-type: none"> o Comments_
[EasyDNNnewsComment: Author]	Description: Comment author.	<ul style="list-style-type: none"> o Comments_
[EasyDNNnewsComment: GravatarImage]	Description: Shows comment's authors Gravatar image.	<ul style="list-style-type: none"> o Comments_
[EasyDNNnewsComment: Comment]	Description: Displays comment.	<ul style="list-style-type: none"> o Comments_
[EasyDNNcategories: ArticleCount]	Description: Number of articles in category.	<ul style="list-style-type: none"> o CategoryMenu
[EasyDNNcategories: Link]	Description: Category link.	<ul style="list-style-type: none"> o CategoryMenu
[EasyDNNcategories: Description]	Description: Category description.	<ul style="list-style-type: none"> o CategoryMenu
[EasyDNNcategories: Title]	Description: Category title.	<ul style="list-style-type: none"> o CategoryMenu
[EasyDNNcategories: RSSCategoryURL]	Description: Category RSS URL.	<ul style="list-style-type: none"> o CategoryMenu
[EasyDNNnews: IfExists: AuthorProfile]	Description: This token marks the start of the profile of the author. The following tokens should be placed between the start and end profile tokens:	<ul style="list-style-type: none"> o Details_
[EasyDNNnews: Author: FirstName]	Description: DNN name of the author (user).	<ul style="list-style-type: none"> o Details_ o List_
[EasyDNNnews: Author: LastName]	Description: DNN name of the author (user).	<ul style="list-style-type: none"> o Details_ o List_
[EasyDNNnews: Author: FullInfo]	Description: Author's biography that will be displayed in Lightbox. Author's biography can be localized by editing the „FullBioText.Text“ record into .rscx file.	<ul style="list-style-type: none"> o Details_ o List_
[EasyDNNnews: Author: ShortInfo]	Description: A short info about the author which appears on the page.	<ul style="list-style-type: none"> o Details_ o List_
[EasyDNNnews: Author: DateAdded]	Description: Date of when author's profile is added.	<ul style="list-style-type: none"> o Details_ o List_
[EasyDNNnews: Author: Link]	Description: Displays a link which will list all	<ul style="list-style-type: none"> o Details_ o List_

	author's articles.	
[EasyDNNnews: Author: RSSURL]	Description: Displays a link to the author's rss.	<input type="radio"/> Details_ <input type="radio"/> List_
[EasyDNNnews: Author: Contact]	Description: Displays the author's contact form in Lightbox.	<input type="radio"/> Details_ <input type="radio"/> List_
[EasyDNNnews: Author: Image: Width: 65: Height: 50: Resize: Crop]	Description: Displays the author's photo or avatar. It is possible to set: width, height, resize (Crop or Proportional).	<input type="radio"/> Details_ <input type="radio"/> List_
[EasyDNNnews: Author: Facebook]	Description: A link to the author's Facebook page.	<input type="radio"/> Details_ <input type="radio"/> List_
[EasyDNNnews: Author: Twitter]	Description: A link to the author's Twitter page.	<input type="radio"/> Details_ <input type="radio"/> List_
[EasyDNNnews: Author: GooglePlus]	Description: A link to the author's Google+ page.	<input type="radio"/> Details_ <input type="radio"/> List_
[EasyDNNnews: Author: LinkedIn]	Description: A link to the author's LinkedIn page.	<input type="radio"/> Details_ <input type="radio"/> List_
[EasyDNNnews: Endf: AuthorProfile]	Description: This token marks the end of the author's box.	<input type="radio"/> Details_ <input type="radio"/> List_
[EasyDNNnews: IfExists: AuthorGroup]	Description: Marks the start of the profile group. The following tokens should be placed between the start and end group tokens:	<input type="radio"/> Details_
[EasyDNNnews: Author: GroupName]	Description: Displays the group's name.	<input type="radio"/> Details_
[EasyDNNnews: Author: GroupInfo]	Description: Displays the group's info.	<input type="radio"/> Details_
[EasyDNNnews: Author: GroupContact]	Description: Opens the group's contact form in Lightbox.	<input type="radio"/> Details_
[EasyDNNnews: Author: GroupImage: Width: 65: Height: 50: Resize: Crop]	Description: Displays the author's photo or avatar. It is possible to set width, height and resize option (crop or proportional).	<input type="radio"/> Details_
[EasyDNNnews: Author: GroupFacebook]	Description: A link to the group's Facebook page.	<input type="radio"/> Details_
[EasyDNNnews: Author: GroupTwitter]	Description: A link to the group's Twitter page.	<input type="radio"/> Details_
[EasyDNNnews: Author: GroupGooglePlus]	Description: A link to the group's Google+ page.	<input type="radio"/> Details_
[EasyDNNnews: Author: GroupLinkedIn]	Description: A link to the group's LinkedIn page.	<input type="radio"/> Details_
[EasyDNNnews: Endf: AuthorGroup]	Description: This token marks the end of the group's box. All the box related tokens should be placed between the start and end group tokens.	<input type="radio"/> Details_
[EasyDNNnews: ArticleMaps]	Description: This token displays a Google map if the map exists.	<input type="radio"/> Details_
[EasyDNNnews: EventDate]	<p>Description: Displays a date formatted according to an event type. Example: The event starts and ends on the same day. It is not all-day event: 7/4/2012 12:00 AM - 16:00 PM. The event last for more than one day. It</p>	<input type="radio"/> List_ <input type="radio"/> Details_

	<p>is all -day event:</p> <p>7/4/2012 12:00 AM - 7/5/2012 12:00 PM</p> <p>The event starts and ends the same day. It is all day event:</p> <p>7/4/2012</p> <p>The event last for more than one day. It is all -day event:</p> <p>7/4/2012 - 7/5/2012</p>	
[EasyDNNnews: EventStartDate]	<p>Description:</p> <p>Start date of the event.</p> <p>Example: 7/4/2012</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventStartTime]	<p>Description:</p> <p>Start time of the event.</p> <p>Example:</p> <p>12:00 PM</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventEndDate]	<p>Description:</p> <p>End date of the event.</p> <p>Example:</p> <p>7/5/2012</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventEndTime]	<p>Description:</p> <p>End time of the event.</p> <p>Example:</p> <p>12:00 PM</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventStartDay]	<p>Description:</p> <p>Start day of event. This will display only day in month.</p> <p>Example:</p> <p>5</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventStartMonth]	<p>Description:</p> <p>Start month of event. This will display only month number.</p> <p>Example:</p> <p>7</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventStartYear]	<p>Description:</p> <p>Year of event. This will display only year.</p> <p>Example:</p> <p>2012</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventEndDay]	<p>Description:</p> <p>End day of event. This will display only day in month.</p> <p>Example:</p> <p>6</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventEndMonth]	<p>Description:</p> <p>End month of event. This will display only month number.</p> <p>Example:</p> <p>7</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventEndYear]	<p>Description:</p> <p>Year when event ends. This will display only year.</p>	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_

	Example: 2012	
[EasyDNNnews: EventStartMonthNameShort]	Description: Starting month of event. This will display short month name. Example: Jun	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventEndMonthNameShort]	Description: Ending month of event. This will display short month name. Example: Jul	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventStartMonthNameLong]	Description: Starting month of event. This will display full month name. Example: July	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventEndMonthNameLong]	Description: Ending month of event. This will display full month name. Example: August	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventStartDayNameShort]	Description: Starting day of event. This will display short day name. Example: Wed	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventEndDayNameShort]	Description: Ending day of event. This will display short day name. Example: Fri	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventStartDayNameLong]	Description: Starting day of event. This will display full day name. Example: Wednesday	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: EventEndDayNameLong]	Description: Ending day of event. This will display full day name. Example: Friday	<ul style="list-style-type: none"> <input type="radio"/> List_ <input type="radio"/> Details_
[EasyDNNnews: FormatedDate: dateformat]	<p>Description: Displays article published date in various formats. <i>dateformat</i> parameter is Microsoft standard date and time format string. For a full list of examples visit http://msdn.microsoft.com/en-us/library/az4se3k1.aspx.</p> <p>Examples: [EasyDNNnews: FormatedDate: dd, MM, yy] - output: 23, 04, 13 [EasyDNNnews: FormatedDate: ddd-MMM-yy] - output: Tue-Apr-13 </p>	List_ Details_
[EasyDNNnews: ArticleRatingNumber]	Description: Displays article rating.	List_ Details_

	Example: 4.56	
[EasyDNNnews: IfExists: SubTitle], [EasyDNNnews: EndIf: SubTitle]	Description: Checks if article subtitle exists and then displays content between the tokens. If the subtitle does not exist the content between tokens is deleted.	List_Details_
[EasyDNNnews: ArticleID]	Description: Displays article's id. Example: 34	List_Details_
[EasyDNNnews: IfExists: Details], [EasyDNNnews: EndIf: Details]	Description: Checks if article detail type is set to text and then displays content between the tokens. If the article detail type is not set to text the content between tokens is deleted.	List_
[EasyDNNnews: IfNotExists: Details], [EasyDNNnews: EndIf: Details]	Description: Checks if article detail type is not set to text and then displays content between the tokens. If the article detail type is set to text the content between tokens is deleted.	List_
[EasyDNNnews: Author: DNNProfileLink]	Description: Displays link to the DNN user profile of article author. Example: http://www.mywebsite.com/ActivityFeed/tabid/60/userId/1/Default.aspx	List_Details_
[EasyDNNnews: EventTimeZone]	Description: Displays time zone of an event. Example: Central European Standard Time	List_Details_
[EasyDNNnews: EventFormattedStartDate: dateformat]	Description: Displays event start date in various formats. <i>dateformat</i> parameter is Microsoft standard date and time format string. For a full list of examples visit http://msdn.microsoft.com/en-us/library/az4se3k1.aspx . Examples: [EasyDNNnews: EventFormattedStartDate: dd,MM,yy] - output: 23,04,13 [EasyDNNnews: EventFormattedStartDate: ddd-MMM-yy] - output: Tue-Apr-13	List_Details_
[EasyDNNnews: EventFormattedEndDate: dateformat]	Description: Displays event end date in various formats. <i>dateformat</i> parameter is Microsoft standard date and time format string. For a full list of examples visit http://msdn.microsoft.com/en-us/library/az4se3k1.aspx .	List_Details_

	<p>us/Library/az4se3k1.aspx.</p> <p>Examples:</p> <p>[EasyDNNnews: EventFormatedEndDate: dd, MM, yy]- output: 23, 04, 13</p> <p>[EasyDNNnews: EventFormatedEndDate: ddd-MMM-yy]- output: Tue-Apr-13</p>	
[EasyDNNnews: FeaturedArticle]	<p>Description:</p> <p>If the article is set as featured article it displays EDN_featured otherwise it displays nothing.</p> <p>Example:</p> <p>EDN_featured</p>	List_Details_
[EasyDNNnews: ActiveArticle]	<p>Description:</p> <p>If there are two or more instances of the EasyDNNnews module on the same page and one opens details of an article in other instances that are listing articles [EasyDNNnews: ActiveArticle] will be replaced with EDN_activeclass on that opened article otherwise it displays nothing.</p> <p>Example: EDN_activeclass</p>	List_
[EasyDNNnews: IfExists: MainImageTitle], [EasyDNNnews: EndIf: MainImageTitle]	<p>Description:</p> <p>Checks if article image is set and it has title set and then displays content between the tokens otherwise the content between tokens is deleted.</p>	List_Details_
[EasyDNNnews: IfExists: MainImageDescription], [EasyDNNnews: EndIf: MainImageDescription]	<p>Description:</p> <p>Checks if article image is set and it has description set and then displays content between the tokens otherwise the content between tokens is deleted.</p>	List_Details_
[EasyDNNnews: MainImageTitle]	<p>Description:</p> <p>Checks if article image is set and it has title set and then displays image title otherwise it displays nothing.</p>	List_Details_
[EasyDNNnews: MainImageDescription]	<p>Description:</p> <p>Checks if article image is set and it has description set and then displays image description otherwise it displays nothing</p>	List_Details_
<p>Explanation in what template tokens can be used:</p> <ul style="list-style-type: none"> * List_ (works in templates List_Article_i List_Catalog_) * Details_ (works in templates Details_Article_i Details_Catalog_) * List_Catalog_ (works in only in template List_Catalog_) * Details_Catalog_ (works in only in template Details_Catalog_) * Comments_ (works in only in template Comments_) * CategoryMenu (works in only in category template in module EasyDNNnews CategoryMenu) * CategoryMenu (works in only in category template in module EasyDNNnews CategoryMenu) * Article content (works in only in article content adding editor) 		

****Limit, Width and Height inside token have bigger priority than the values set in module settings.**

8.2. Templates and themes

EasyDNNnews display articles using HTML templates. In the HTML template you can put TOKENS which in their places display title, subtitle, publish date, article text, article image...

Templates are located in the folder /DesktopModules/EasyDNNnews/Templates/.

Templates can be organized by portals. If the folder /Templates/_default/ are templates visible to all users of all portals. If templates are placed inside folder /Templates/0/ then they are visible only to the users of portal 0.

8.3. Structure of Templates folder

/Templates/(number of portal)/name of template/News/

- here are located templates for EasyDNNnews main module. They are saved as HTML with List_ or Details_ prefix.

/Templates/(number of portal)/nameoftemplate/Search/

- here are located templates for EasyDNNnews Search module

/Templates/(number of portal)/nameoftemplate/CategoryMenu/

- here are located templates for EasyDNNnews CategoryMenu module

/Templates/(number of portal)/nameoftemplate/StyleCSS/

- here are located CSS from template display styles. Templates can have additional display styles. Display styles usually contain various color schemes.

/Templates/(number of portal)/nameoftemplate/nameoftemplate.css

- Main template CSS. It should be named same as the template.

Example how the folders for template BlogOne are organized:

/Templates/_default/BlogOne/News/
/Templates/_default/BlogOne/Search/
/Templates/_default/BlogOne/CategoryMenu/
/Templates/_default/BlogOne/StylesCSS/
/Templates/_default/BlogOne/BlogOne.css

8.4. Structure of HTML templates

HTML is consisting of List Article templates and Details Article templates layout.

- List Article template – contains template for displaying article in a list
- Detail Article template – contains template for displaying article details
- Comments template – contains template for displaying comments

List and Details templates are different for Article display and Catalog display.

Defined HTML templates must contain prefixes:

- For Article display:
 - List_Article_name.htm
 - Details_Article_name.htm
 - Comments_name.htm
- For Catalog display:
 - List_Catalog_name.htm
 - Details_Catalog_name.htm
 - Comments_name.htm

You can have unlimited number of list and details templates, but you must contain their prefixes
(Example: List_Article_name1.htm, List_Article_name2.htm... Details_Article_noimage.htm,
Details_Article_withimage.htm...).

8.4.1. List and Details HTML templates

1. List templates – displaying article in list

There are two types of displaying articles with List templates:


1. Displaying articles in simple mode – Articles are displayed in list, one below other. In the template is defined the display of only one article which is repeated.
2. Displaying articles in advanced mode (MultiArticleTemplate) – In this display type you create advanced article list layout which is static and does not repeat itself. You can set different order and structure of articles (Example: First article with large, title and subtitle, second and third with small image and without subtitle ...).

2. Details templates

Details template is used for displaying article details. Details template is divided into panes. Inside pane is placed HTML with tokens. For example: if you wish to add below comments social sharing buttons then the token is placed into Bottom Panel. If you wish to have title above the gallery then

the token is placed into Header pane. With this type of management there is a great flexibility in editing the details template.

Structure of panes in Details_ template:



8.5. CSS themes

CSS is saved in the template root folder /nameoftemplate/nameoftemplate.css and must be named same as template directory (Example: if the theme is called nameoftemplate, CSS must be called nameoftemplate.css. Names are case sensitive).

Based on the template name main CSS selector if defined in the CSS file: #EDN_nameoftemplate

U main CSS (nameoftemplate.css) are located styles for templates for main news module and the other modules (Calendar, Search, CategoryMenu and TagCloud). CSS classes can be called globally (available in all modules) or they can be visible only individual modules . If you wish to limit classes to individual module then you sub selector based on the module name.

Examples:

Predefined sub selectors for modules:

```
#EDN_nameoftemplate.news  
#EDN_nameoftemplate.search  
#EDN_nameoftemplate.calendar  
#EDN_nameoftemplate.tagcloud  
#EDN_nameoftemplate.categorymenu
```

Themes can have also display styles but it is not necessarily. CSS form styles are saved into folder /Styles/

#EDN_nameoftemplate is obligatory way of naming selectors.

nameoftemplate is case sensitive. If the theme title is „NameOfTemplate“ then also the selector must be #EDN_NameOfTemplate. It is different from #EDN_nameoftemplate!!!

Organization and structure of templates:

Folder: /Templates/(portal_number) or _default/News

(1) List article

- (1.1) Article template (file prefix: List_Article_)
- (1.2) Article multiarticle template (file prefix: List_Article_)
- (1.3) Catalog template (file prefix: List_Catalog_)

(2) Details article

- (2.1) Article template (file prefix: Details_Article_)
- (2.2) Catalog template (file prefix: Details_Catalog_)

(3) Comments (file prefix: Comments_)

Folder: /Templates/(portal_number) or _default/CategoryMenu

(4) Category (CategoryMenu) (file prefix: TemplatedMenu_)

(1.1) LIST ARTICLE - ARTICLE TEMPLATE
<! --ArticleRepeat: Before: -->Header of template - no repeat<! --RepeatEnd: Before: -->
<! --ArticleTemplate--><! --ArticleEnd -->
<! --ArticleRepeat: After: --> Footer of template - no repeat<! --RepeatEnd: After: -->

(2. 1) DETAILS ARTICLE - ARTICLE TEMPLATE

```
<!--ArticleTemplate-->
<EDNHeader></EDNHeader>
<!--Gallery TOP position-->
<EDNContentTop></EDNContentTop>
<EDNContent></EDNContent>
<EDNContentBottom></EDNContentBottom>
<!--Gallery BOTTOM position-->
<EDNFooter></EDNFooter>
<!--Comments position-->
<EDNBottom></EDNBottom>
<!--ArticleEnd-->
```

(1. 3) LIST ARTICLE - CATALOG TEMPLATE

```
<!--CatalogArticleTemplate-->
<!--BreadcrumbTemplate--><!--BreadcrumbEnd-->
<!--CatalogArticleEnd-->

<!--CatalogArticleTemplate-->
<!--HeaderTemplate--><!--HeaderEnd-->
<!--CatalogArticleEnd-->

<!--CatalogArticleTemplate-->
<!--CategoryTemplate--><!--CategoryEnd-->
<!--CatalogArticleEnd-->
```

```
<!--CatalogArticleTemplate-->
<!--ArticleTemplate--><!--ArticleEnd-->
<!--CatalogArticleEnd-->
```

(2. 2) DETAILS ARTICLE - CATALOG TEMPLATE

```
<!--CatalogArticleTemplate-->
<!--BreadcrumbTemplate--><!--BreadcrumbEnd-->
<!--CatalogArticleEnd-->

<!--ArticleTemplate-->
<EDNHeader></EDNHeader>
<!--Gallery TOP position-->
<EDNContentTop></EDNContentTop>
<EDNContent></EDNContent>
<EDNContentBottom></EDNContentBottom>
<!--Gallery BOTTOM position-->
<EDNFooter></EDNFooter>
<!--Comments position-->
<EDNBottom></EDNBottom>
<!--ArticleEnd-->
```

(1. 2) LIST ARTICLE - ARTICLE MULTI ARTICLE TEMPLATE

```
<!--MultiArticleTemplate-->
<!--ArticleRepeat: Before: --><!--RepeatEnd: Before: -->
<!--MultiArticleEnd-->
. . .
<!--MultiArticleTemplate-->
<!--ArticleRepeat: 1: --><!--RepeatEnd-->
<!--MultiArticleEnd-->

<!--MultiArticleTemplate-->
```

```

<!--ArticleRepeat: 2: --><!--RepeatEnd-->
<!--MultiArticleEnd-->

<!--MultiArticleTemplate-->
<!--ArticleRepeat: 3: --><!--RepeatEnd-->
<!--MultiArticleEnd-->

<!--MultiArticleTemplate-->
<!--ArticleRepeat: 4: --><!--RepeatEnd-->
<!--MultiArticleEnd-->
...
<!--MultiArticleTemplate-->
<!--ArticleRepeat: After: --><!--RepeatEnd: After: -->
<!--MultiArticleEnd-->

```

(3) COMMENTS

```
<!--CommentTemplate--><!--CommentEnd-->
```

(4) CATEGORY (CategoryMenu module)

```

<!--CategoriesTemplate-->
<!--HeaderTemplate--><!--HeaderEnd-->
<!--CategoriesEnd-->

<!--CategoriesTemplate-->
<!--TemplateLevel: 0--><!--TemplateEnd-->
<!--CategoriesEnd-->

<!--CategoriesTemplate-->
<!--TemplateLevel: 1--><!--TemplateEnd-->
<!--CategoriesEnd-->
...

<!--CategoriesTemplate-->
<!--FooterTemplate--><!--FooterEnd-->
<!--CategoriesEnd-->

```

8.6. Multi-article template feature

One of main features of EasyDNNnews is article display ability. Besides standard display (displaying one article below other), it is possible to use advanced Multi-Article templates with different article layout look and options.

Multi-article template consists of several ArticleRepeat in which you place number of articles which will be displayed inside this repeater. You can place multiple articles inside one repeater depending on layout.

Example of Multiarticle template:

```
<!--MultiArticleTemplate-->
<!--ArticleRepeat: Before: -->Header of template - optional <!--RepeatEnd: Before: -->
```

```
<!--Multi ArticleEnd-->

<!--Multi ArticleTemplate-->
<!--ArticleRepeat: 1: --><HTML with tokens for article 1/><!--/RepeatEnd-->
<!--Multi ArticleEnd-->


<!--Multi ArticleTemplate-->
<!--ArticleRepeat: 2: 4: --><HTML with tokens for article 2/><HTML with tokens for article 4/><!--/RepeatEnd-->
<!--Multi ArticleEnd-->

<!--Multi ArticleTemplate-->
<!--ArticleRepeat: 3: 5: --><HTML with tokens for article 3/> <HTML with tokens for article 5/><!--/RepeatEnd-->
<!--Multi ArticleEnd-->

<!--Multi ArticleTemplate-->
<!--ArticleRepeat: 6: 7: 8: 9: 10: 11: 12: 13: --><HTML with tokens for article 6/> <HTML with tokens for article 7/><HTML with tokens for article 8/><HTML with tokens for article 9/><HTML with tokens for article 10/><HTML with tokens for article 11/><HTML with tokens for article 12/><HTML with tokens for article 13/><!--/RepeatEnd-->
<!--Multi ArticleEnd-->

<!--Multi ArticleTemplate-->
<!--ArticleRepeat: After: --> Footer of template - optional <!--RepeatEnd: After: -->
<!--Multi ArticleEnd-->
```


<!--MultiArticleTemplate-->
<!--ArticleRepeat:1-->



1

<!--RepeatEnd-->
<!--MultiArticleEnd-->

<!--MultiArticleTemplate-->
<!--ArticleRepeat:2:4-->



2


3

4

5

<!--RepeatEnd-->
<!--MultiArticleEnd-->

<!--MultiArticleTemplate-->
<!--ArticleRepeat:6:7:8:9:10:11:12:13-->



6

7

8

9

10

11

12

13

<!--RepeatEnd-->
<!--MultiArticleEnd-->

8.7. Multi instance module feature

With EasyDNNnews it is possible to have multiple module instances on one page it is possible to achieve the same result as Multi-article template. You need to place module on the page and in the *Module Settings > Multi module article > Number of starting article* set the number from which articles are displayed.

Example: On the page there are 3 module instances. In the first instance we want to show 1 article in the second 3 and in the third 5 articles. For first instance we must set starting article 1, for the second we must set the starting article 2 and for the third instance we must set the starting article to 5 because the first 2 instances already show 4 articles.

[Connecting multiple module instances to work as one](#)

To connect multiple modules instances on the same page to work as one during category changes you need to turn option to receive global values in the settings: *Module Settings > Multi module article feature > Receive global query string*

In the helper modules you need to turn on option page on which we want to send global values.

[Difference between Multi-article template feature and Multi instance module feature?](#)

Multi-article template enables advanced design and better performances. Multi instance module feature enables placing multiple module instances on the page with selection of repeating selected layout. With Multi-article template features number of articles that appear on the page is set in the template and in the settings. With multi instance feature this is not condition and the number of articles on the page is set in settings.